

June 10, 2021

Attention: Tanya Francis
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO, ON M9W 6N9

The design submission, tracking number 2021-02872, originally received on May 26, 2021 was surveyed and accepted for registration as follows:

CRN : 0C23177.52 **Accepted on:** June 10, 2021
Reg Type: NEW DESIGN **Expiry Date:** April 13, 2031
Drawing No. : SCOPE OF REGISTRATION
Fitting type: SERIES FFTM3/FFTM3C VALVES
Design registered in the name of : A-T CONTROLS INC

The registration is conditional on your compliance with the following notes:

*** This registration covers only those valves that are in strict compliance with ASME B16.34, with respect to dimensions, pressure and temperature ratings, materials, markings etc*

*** See attached Scope of Registration, and a List of Plant Sites*

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction is B16.34.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.*
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3337 or fax (780) 437-7787 or e-mail Dick@absa.ca.

Sincerely,



DICK, ASHLING, P. Eng.
DOP Cert. No. D00007936



Technical Standards and Safety Authority
 345 Carlingview Drive
 Toronto, Ontario M9W 6N9
 www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, Steve Wells, CFO
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of A-T Controls, Inc.
(Name of Manufacturer)

Located at 9955 International Blvd; Cincinnati, OH. 45246 (Plant Address) (513) 247-5465 (Telephone No.) (513) 247-5462 (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ANSI/ASME B16.34-2017
(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2015 which has been verified by the following authority, AVU Registrations.

The items covered by this declaration, for which I seek registration, are category "C" type fittings. In support of this application, the following information and/or test data are attached as follows:

See attachment 1 (List of Drawings / Calculations); See attachment 2 (Scope of Registration) **
(drawings, calculations, test reports, etc.)

Declared before me at Butler County in the State of Ohio
 the 8th day of Feb AD 20 21.

Commissioner for Oaths:
BRANDON GREENE
(Printed name)

(Signature)



BRANDON GREENE
 Notary Public, State of Ohio
 My Commission Expires
 December 4, 2021

(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category _____.

CRN: _____

Registered by: _____

Dated: _____

NOTE: This registration expires on: _____

2021-02872

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0C23177.52

See acceptance letter for conditions of registration.

Date: 2021-06-10 By:
ASHLING DICK, P. Eng.

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.


**Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.*

Request for a Canadian Registration Number (CRN) in Multiple Jurisdictions

Attachment 1

Drawing Number/Test Report Number	Revision	Description
P03769	0	SERIES FFTM3 / FFTM3C CLASS 150 2" - 14" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03770	0	SERIES FFTM3 / FFTM3C CLASS 150 16" - 24" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03771	0	SERIES FFTM3 / FFTM3C CLASS 300 2" - 14" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03772	0	SERIES FFTM3 / FFTM3C CLASS 300 16" - 24" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03773	0	SERIES FFTM3 / FFTM3C CLASS 600 2" - 14" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03774	0	SERIES FFTM3 CLASS 600 16" - 24" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03791	0	SERIES FFTM3/FFTM3C 2" - 24" CLASS 150/300/600 BODY AND END CAP DIMENSIONS AND WALL THICKNESSES
TR00411	0	SERIES FFTM3/FFTM3C CLASS 150 CRN REPORT
TR00412	0	SERIES FFTM3/FFTM3C CLASS 300 CRN REPORT
TR00413	0	SERIES FFTM3/FFTM3C CLASS 600 CRN REPORT

THIS IS PART OF CRN
0C23177.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

2021-02872
ABSA
SAFETY CODES ACT - PROVINCE OF ALBERTA
ACCEPTED: 0C23177.52
**See acceptance letter for
conditions of registration.**
Date: 2021-06-10 By: 
ASHLING DICK, P. Eng.

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

SCOPE OF REGISTRATION

Attachment 2

(dimensions in inches)

Series	Sizes
Series FFTM3 / FFTM3C Class 150:	2", 3", 4", 6", 8", 10", 12", 14", 16", 18", 20", 24"
Series FFTM3 / FFTM3C Class 300:	2", 3", 4", 6", 8", 10", 12", 14", 16", 18", 20", 24"
Series FFTM3 / FFTM3C Class 600:	2", 3", 4", 6", 8", 10", 12", 14", 16", 18", 20", 24"

Body Materials: ASTM A216 WCB & A351 CF8M

THIS IS PART OF CRN

0C23177.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety
Program

2021-02872

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0C23177.52

**See acceptance letter for
conditions of registration.**

Date: 2021-06-10

By:



ASHLING DICK, P. Eng.

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.



A-T Controls, Inc.

9955 International Blvd. • Cincinnati, Ohio 45246
Phone: 513.247.5465 Fax: 513.247.5462
www.atcontrols.com

09 February 2021

List of Plant Sites

Site 1:

A-T Controls, Inc.
9955 International Blvd.
Cincinnati, OH. 45246

Site 2:

A-T Controls, Inc.
12840 Sugar Ridge
Stafford, TX. 77477

THIS IS PART OF CRN
0C23177.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

P. Vezey
Quality Manager
A-T Controls, Inc.

2021-02872
ABSA
SAFETY CODES ACT - PROVINCE OF ALBERTA
ACCEPTED: 0C23177.52
See acceptance letter for
conditions of registration.
Date: 2021-06-10 By:
ASHLING DICK, P. Eng.

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.



Manual and Automated Quarter Turn Valves
Complete Valve and Damper Automation





345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

April 13, 2021

A-T CONTROLS INC
9955 INTERNATIONAL BLVD
CINCINNATI OH 45246
US

Workorder Type: Registration - Fitting(Conventional)
Workorder No: 8005180
Your Reference No.:
Registered to: A-T CONTROLS INC

Dear PETE VEZEY,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN : 0C23177.5

Main Design No.: Ball Valves Series FFTM3/FFTM3C Class 150, 300 & 600 - See Scope of Registration & List of Plant Sites

Expiry Date: Apr 13, 2031

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately (There will be no hard copies for electronic submissions). Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Wendy Du
Engineer, BPV
Tel. : +1 416-734-3566
Email : Wdu@tssa.org



Technical Standards and Safety Authority
 345 Carlingview Drive
 Toronto, Ontario M9W 6N9
 www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



STATUTORY DECLARATION Registration of Fittings

I, Steve Wells, CFO
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of A-T Controls, Inc.
(Name of Manufacturer)

Located at 9955 International Blvd; Cincinnati, OH. 45246 (513) 247-5465 (513) 247-5462
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ANSI/ASME B16.34-2017
(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;


or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.


I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2015 which has been verified by the following authority, AVU Registrations.

The items covered by this declaration, for which I seek registration, are category "C" type fittings. In support of this application, the following information and/or test data are attached as follows:

See attachment 1 (List of Drawings / Calculations); See attachment 2 (Scope of Registration)
(drawings, calculations, test reports, etc.)

Declared before me at Butler County in the State of Ohio
 the 8th day of Feb AD 20 21.

Commissioner for Oaths:
BRANDON GREENE
(Printed name)

(Signature)



BRANDON GREENE
 Notary Public, State of Ohio
 My Commission Expires
 December 4, 2021


(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category _____.

CRN: _____

Registered by: _____

Dated: _____

Technical Standards and Safety Authority
 Boilers and Pressure Vessels Safety Program

REGISTERED

C.R.N.: 0C23177.5

Signed: 

Date: April 13, 2021.

NOTE: This registration expires on: April 13, 2031

Ball Valves Series FFTM3/FFTM3C Class 150, 300 & 600
 - See stamped Scope of Registration & List of Plant Sites

**Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.*

Request for a Canadian Registration Number (CRN) in Multiple Jurisdictions

Attachment 1

Drawing Number/Test Report Number	Revision	Description
P03769	0	SERIES FFTM3 / FFTM3C CLASS 150 2" - 14" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03770	0	SERIES FFTM3 / FFTM3C CLASS 150 16" - 24" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03771	0	SERIES FFTM3 / FFTM3C CLASS 300 2" - 14" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03772	0	SERIES FFTM3 / FFTM3C CLASS 300 16" - 24" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03773	0	SERIES FFTM3 / FFTM3C CLASS 600 2" - 14" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03774	0	SERIES FFTM3 CLASS 600 16" - 24" DIMENSIONAL DRAWING WITH BILL OF MATERIALS
P03791	0	SERIES FFTM3/FFTM3C 2" - 24" CLASS 150/300/600 BODY AND END CAP DIMENSIONS AND WALL THICKNESSES
TR00411	0	SERIES FFTM3/FFTM3C CLASS 150 CRN REPORT
TR00412	0	SERIES FFTM3/FFTM3C CLASS 300 CRN REPORT
TR00413	0	SERIES FFTM3/FFTM3C CLASS 600 CRN REPORT

THIS IS PART OF CRN
0C23177.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

SCOPE OF REGISTRATION

Attachment 2

(dimensions in inches)

Series	Sizes
Series FFTM3 / FFTM3C Class 150:	2", 3", 4", 6", 8", 10", 12", 14", 16", 18", 20", 24"
Series FFTM3 / FFTM3C Class 300:	2", 3", 4", 6", 8", 10", 12", 14", 16", 18", 20", 24"
Series FFTM3 / FFTM3C Class 600:	2", 3", 4", 6", 8", 10", 12", 14", 16", 18", 20", 24"

Body Materials: ASTM A216 WCB & A351 CF8M

THIS IS PART OF CRN

0C23177.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety
Program



A-T Controls, Inc.

9955 International Blvd. • Cincinnati, Ohio 45246
Phone: 513.247.5465 Fax: 513.247.5462
www.atcontrols.com

09 February 2021

List of Plant Sites

Site 1:

A-T Controls, Inc.
9955 International Blvd.
Cincinnati, OH. 45246

Site 2:

A-T Controls, Inc.
12840 Sugar Ridge
Stafford, TX. 77477

THIS IS PART OF CRN
0C23177.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

P. Vezey
Quality Manager
A-T Controls, Inc.



Manual and Automated Quarter Turn Valves
Complete Valve and Damper Automation




UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon




Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>A-T Controls, Inc.</u>	
Manufacturers Address: <u>9955 International Blvd., Cincinnati, OH 45246</u>	
Plant Locations: <u>9955 International Blvd., Cincinnati, OH 45246 and 12840 Sugar Ridge, Stafford, TX 77477</u>	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>All valves: ANSI/ASME B16.34-2017.</p> <p>Additional standards for flanged valves: ASME Sec VIII Div 1 (2019)</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center"></p>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>Please see attachment 1 for all drawings and calculations.</p> <p>Please see attachment 2 for "Scope of Registration" for series valves and sizes.</p>	


Declaration:

I Steve Wells / CFO (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 
 Declared before me at: Buckley County, Ohio
 This 8th day of Feb AD 2021
 Commissioner of Oaths 
 Or Notary Public: (sign) 
 (Affix Official seal to the right)




BRANDON GREENE
 Notary Public, State of Ohio
 My Commission Expires
 December 4, 2021

<p>CRN: <u>0C23177.5</u></p> <p>FID#: <u>15253</u></p> <p>Ball Valves Series FFTM3/FFTM3C. Class 150, 300 & 600. Sizes 2" to 24". A216 WCB & A351 CF8M</p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>ASME B16.34 design 11/2016</p> <p>CRN expires April 13th, 2031 - DG</p>	<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center">ACCEPTED</p> <p align="center">PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT</p> <p>CRN: <u>0C23177.59</u></p> <p>DATE: <u>4 2021</u></p> <p align="center"><u></u> INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH</p> <p align="right">Sect 1.0 Fittings Rev.2</p>
---	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
 Nunavut Yukon Northwest Territories

Manufacturers Name: <u>A-T Controls, Inc.</u>	
Manufacturers Address: <u>9955 International Blvd., Cincinnati, OH 45246</u>	
Plant Locations: <u>9955 International Blvd., Cincinnati, OH 45246 and 12840 Sugar Ridge, Stafford, TX 77477</u>	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>All valves: ANSI/ASME B16.34-2017</p> <p>Additional standards for flanged valves: ASME Sec VIII Div 1 (2019)</p>
<p align="center">Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> 	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>Please see attachment 1 for all drawings and calculations.</p> <p>Please see attachment 2 for "Scope of Registration" for series valves and sizes.</p>	

Declaration:

I Steve Wells / CFO (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Buckeye County, Ohio
 This 20 day of Feb AD 2021
 Commissioner of Oaths [Signature]
 Or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)



BRANDON GREENE
 Notary Public, State of Ohio
 My Commission Expires
 December 4, 2021

This space for Regulatory Authority use.
 This registration must be revalidated after ten (10) years from the date of acceptance

CRN: 0C23177.5

FID#: 15253

Ball Valves Series FFTM3/FFTM3C, Class 150, 300 & 600, Sizes 2" to 24" A216 WCB & A351 CF8M

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

ASME B16.34 design
 11/2016
 CRN expires April 13th, 2031 - DG

BOILER & PRESSURE VESSEL
 NOVA SCOTIA
 Date June 4/21
 C.R.N. 0C23177.58
 Dwg. as described
 Signed Yvonne Perry
1 of 1
 Part
 ACT & REGULATIONS

Sect 1.0 - Fittings Rev.2


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: <u>A-T Controls, Inc.</u>	
Manufacturers Address: <u>9955 International Blvd., Cincinnati, OH 45246</u>	
Plant Locations: <u>9955 International Blvd., Cincinnati, OH 45246 and 12840 Sugar Ridge, Stafford, TX 77477</u>	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>All valves: ANSI/ASME B16.34-2017</p> <p>Additional standards for flanged valves: ASME Sec VIII Div 1 (2019)</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center" style="font-size: 2em; font-weight: bold; margin: 10px 0;">  </div>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>Please see attachment 1 for all drawings and calculations.</p> <p>Please see attachment 2 for "Scope of Registration" for series valves and sizes.</p>	

Declaration:

I, Steve Wells / CFO (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Buller County, Ohio
 This 8th day of Feb AD 2021
 Commissioner of Oaths
 Or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)



This space for Regulatory Authority use.
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C23177.5
 FID#: 15253
 Ball Valves Series FFTM3/FTM3C. Class 150, 300 & 600, Sizes 2" to 24", A216 WCB & A351 CF8M

Notes:
 1. All Fittings shall be registered in the name of the Manufacturer.
 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality Control programs shall be resubmitted for validation.

ASME B16.34 design
 11/2016
 CRN expires April 13th, 2031 - DG

**DEPT OF JUSTICE - PUBLIC SAFETY
 BOILER & PRESSURE VESSEL ACT**

REGISTRATION ONLY

CRN 0C23177.57


[Signature]
 CHIEF BOILER INSPECTOR

DATE 6/4/21 Sect 1.0 - Fittings Rev.2

- BLRs PVs
 FITTINGS NUCLEAR COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS


New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
 Nunavut Yukon Northwest Territories

Manufacturers Name: <u>A-T Controls, Inc.</u>	
Manufacturers Address: <u>9955 International Blvd., Cincinnati, OH 45246</u>	
Plant Locations: <u>9955 International Blvd., Cincinnati, OH 45246</u> and <u>12840 Sugar Ridge, Stafford, TX 77477</u>	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>All valves: ANSI/ASME B16.34-2017</p> <p>Additional standards for flanged valves: ASME Sec VIII Div 1 (2019)</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>Please see attachment 1 for all drawings and calculations.</p> <p>Please see attachment 2 for "Scope of Registration" for series valves and sizes.</p>	

Declaration:

I, Steve Wells / CFO (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Butler County, Ohio
 This 8th day of Feb AD 2021
 Commissioner of Oaths
 Or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)



<p>CRN: <u>0C23177.5</u></p> <p>FID#: <u>15253</u></p> <p>Ball Valves Series FFTM3/FFTM3C. Class 150, 300 & 600. Sizes 2" to 24" A216 WCB & A351 CF8M</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>ASME B16.34 design 11/2018</p> <p>CRN expires April 13th, 2031 - DG</p>	<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center">Newfoundland Labrador Service NL</p> <p>Registered <u>0C23177.50</u> Date <u>21 Feb 2021</u> Engineering and Inspection Services Registered by <u>[Signature]</u></p> <p align="center">UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSELS AND COMPRESSED GAS REGULATIONS</p>
---	---


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>A-T Controls, Inc.</u>	
Manufacturers Address: <u>9955 International Blvd., Cincinnati, OH 45246</u>	
Plant Locations: <u>9955 International Blvd., Cincinnati, OH 45246</u> and <u>12840 Sugar Ridge, Stafford, TX 77477</u>	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>All valves: ANSI/ASME B16.34-2017</p> <p>Additional standards for flanged valves: ASME Sec VIII Div 1 (2019)</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>Please see attachment 1 for all drawings and calculations.</p> <p>Please see attachment 2 for "Scope of Registration" for series valves and sizes.</p>	

Declaration:

I Steve Wells / CFO (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Butler County, Ohio

This 8th day of Feb AD 2021


Commissioner of Oaths 

Or Notary Public: (sign) 

(Affix Official seal to the right)



BRANDON GREENE
Notary Public, State of Ohio
My Commission Expires
December 4, 2021

<p align="center">This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C23177.5</u></p> <p>FID#: <u>15253</u></p> <p>Ball Valves Series FFTM3/FFTM3C. Class 150, 300 & 600. Sizes 2" to 24" A216 WCB & A351 CF8M</p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>ASME B16.34 design 11/2016</p> <p>CRN expires April 13th, 2031 - DG</p>	<p align="center">GOVERNMENT OF YUKON</p> <p align="center">BY <u></u></p> <p align="center">CRN <u>0C23177.5Y</u></p> <p align="center">DATE <u>06/07/2021</u></p> <p align="center">BOILERS BRANCH</p> <p align="right">Sect 1.5 - Fittings Rev.2</p>
--	---


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: A-T Controls, Inc.	
Manufacturers Address: 9955 International Blvd., Cincinnati, OH 45246	
Plant Locations: 9955 International Blvd., Cincinnati, OH 45246 and 12840 Sugar Ridge, Stafford, TX 77477	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>All valves: ANSI/ASME B16.34-2017</p> <p>Additional standards for flanged valves: ASME Sec VIII Div 1 (2019)</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>Please see attachment 1 for all drawings and calculations.</p> <p>Please see attachment 2 for "Scope of Registration" for series valves and sizes.</p>	

Declaration:

I, Steve Wells / CFO (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Butler County, Ohio

This 8th day of Feb 2021

Commissioner of Oaths

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



BRANDON GREENE
Notary Public, State of Ohio
My Commission Expires
December 4, 2021

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C23177.5


FID#: 15253

Ball Valves Series FFTM3/FFTM3C. Class 150, 300 & 600. Sizes 2" to 24". A216 WCB & A351 CF8M

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

ASME B16.34 design
11/2018

CRN expires April 13th, 2031 - DG



Northwest Territories

REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.

C.R.N. 0C23177.5T

SIGNED [Signature]

DATE June 7 2021

163.00

Sept 1.0 - Fittings Rev.2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: <u>A-T Controls, Inc.</u>	
Manufacturers Address: <u>9955 International Blvd., Cincinnati, OH 45246</u>	
Plant Locations: <u>9955 International Blvd., Cincinnati, OH 45246 and 12840 Sugar Ridge, Stafford, TX 77477</u>	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>All valves: ANSI/ASME B16.34-2017</p> <p>Additional standards for flanged valves: ASME Sec VIII Div 1 (2019)</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center" style="font-size: 2em; font-weight: bold; margin: 10px 0;">AT</div>	
<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>	
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>Please see attachment 1 for all drawings and calculations.</p> <p>Please see attachment 2 for "Scope of Registration" for series valves and sizes.</p>	

Declaration:

I Steve Wells / CFO (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Steve Wells*
 Declared before me at Baldwin County, Ohio
 This 20th day of Feb AD 2021
 Commissioner of Oaths *[Signature]*
 Or Notary Public: (sign) *[Signature]*
 (Affix Official seal to the right)



BRANDON GREENE
 Notary Public, State of Ohio
 My Commission Expires
 December 4, 2021

<p align="center">This space for Regulatory Authority use: This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C23177.5</u></p> <p>FID#: <u>15253</u></p> <p>Ball Valves Series FFTM3/FFTM3C. Class 150, 300 & 600, Sizes 2" to 24" A216 WCB & A351 CF8M</p> <p><small>Notes: All Fittings shall be registered in the name of the Manufacturer.</small></p> <ol style="list-style-type: none"> Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>ASME B16.34 design <small>11/2016</small></p> <p>CRN expires April 13th, 2031 - DG</p>	<div align="center" style="border: 1px solid black; padding: 5px;"> NUNAVUT Boilers and Pressure Vessels Act REGISTERED CRN <u>0C23177.5 N</u> Date <u>June 04, 2021</u> Signed <u><i>[Signature]</i></u> <small>Chief Inspector</small> </div> <p align="center">Territorial Registration Fee</p>
---	--

TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ON M9W 6N9

Date: June 18, 2021
Account #: 35231
Journal #: 78138

Attn: TSSA

Re: Application for Design Registration

The design, as detailed in your, 0C23177.5 - A-T CONTROLS INC, for a Fitting is accepted for registration as follows:

Registered To: A-T CONTROLS, INC. **CRN:** 0C23177.51

Drawing #: Scope of Registration

Drawing Revision: N/A

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

Reviewer's Notes:

Scope of Registration: Ball Valves Series FFTM3/FFTM3C Class 150, 300 & 600 - See Scope of Registration & List of Plant Sites

As required by CSA B51 4.2.1, this registration expires on 13-Apr-2031. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void. Any additional conditions of registration stated in TSSA CRN# 0C23177.5 registration shall apply to BC registration.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

Emilia Tam

emilia.tam@technicalsaftybc.ca
Design Administration

cc:



Inspection and Technical Services
Municipal Relations
508-401 York Ave
Winnipeg, Manitoba Canada R3C 0P8
T 204-945-3373 F 204-948-2089
www.firecomm.gov.mb.ca/itsm_main

14 June 2021

TSSA
345 Carlingview Drive
Toronto, ON M9W 6N9

Dear Tanya Francis

Re: Reciprocal CRN Registration in Manitoba

Your application indicates that a CRN has been received in another Canadian Jurisdiction, and therefore your CRN has been registered in Manitoba as follows:

File Number: 74-R1571
CRN: 0C23177.54
Scope: SOR: Ball Valve Series FFTM3 / FFTM3C Class 150, 300 & 600 and List of Plant Sites
Manufacturer: A-T Controls Inc
Expiry Date: 13 April 2031

Please find attached invoice for registration.

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, a CRN issued in any Canadian Jurisdiction will be accepted for use in Manitoba.

In accordance with Steam and Pressure Plants Regulation and CSA B51, it is the manufacturer's responsibility to file a Manufacturers Data Report, including partial data reports, with our office, prior to shipping pressure equipment to Manitoba.

Please contact gasupport@gov.mb.ca for any questions or concerns.

Inspection and Technical Services
Municipal Relations
508 - 401 York Avenue, Winnipeg Manitoba R3C 0P8
T (204) 945-3373 | F (204) 948-2089